# AD-A264 683 INTATION PAGE



form Approved

CMB No. 0704-0188



Hatel to average I four our response, naturally a rengional the constitution of information wine

1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED April 16, 1993 Final - 1 December 1989 - 30 June, 1992 A TITLE AND SUBTITLE 5. FUNDING NUMBERS Studies in Lewis Acid and Superacid Ionic Liquids L AUTHORISI 61102F 2303 A1 Robert A. Osteryoung 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) & PERFORMING ORGANIZATION REPORT NUMBER AFOSA TA ਖ State University of New York 516 Capen Hall Buffalo, NY 14260 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(E 10. SPONSORING / MONITORING AGENCY REPORT NUMBER AFOSR/NC Building 410. Bolling AFB DC AFOSR-90-0099 MAY 21 1993 20332-6448 11. SUPPLEMENTARY NOTES

12a DISTRIBUTION / AVAILABILITY STATEMENT

12h DISTRIBUTION CODE

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

93-11307

Studies in an ambient temperature chloroaluminate monen san composed or aluminum chloride and 1-ethyl-3-methylimidazolium chloride were carried out. A variety of topics were investigated. The behavior of electroactive polymers, mainly polyaniline, was investigated, and simultaneous EPR and electrochemical experiments were carried out. The stoichiometry of several inorganic complexes ions was investigated in a near "neutral" melt, and a procedure to buffer the neutral melts was examined. A number of electrochemical studies with emphasis on the use of fast pulse voltammetry at very small microelectrodes were carried out. Finally, the chemistry and electrochemistry of solutes as influenced by the presence of a proton (Bronsted) acid were investigated by means of electrochemical and NMR techniques. Gutmann at nor/acceptor numbers of the melts were obtained, and the behavior of dimethylaniline in the presence and absence of a Bronsted acid was examined. The presence of both Lewis and Bronsted adducts was confirmed.

Chloroaluminates; io nuclear magnetic res	nic liquids; molten sa onance; superacid.	lt: electrochemistry;	15. NUMBER OF PAGES 28 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	29. LIMETATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)

This is a Final Report on AFOSR 90-0099, **Studies in Lewis Acid and Superacid Ionic Liquids.** 

The research carried out under this grant involved studies of the chemistry and electrochemistry of ambient temperature chloroaluminate ionic liquids. The ionic liquids consist of mixtures of an organic chloride, 1-methyl-3-ethylimidazolium chloride, with aluminum chloride. A Bronsted acid was added in some instances and the resultant chemistry of solutes examined.

This activity was funded under a three-year option grant as of December 1, 1989, and expired June 30, 1992. Funding levels were \$120,325 (FY 1990), \$150,777 (FY 1991), and \$36,491 (FY 1992). The latter funding was for a seven month interval.

This Final Report discusses topics as submitted in our proposal in this area. In the interest of brevity, abstracts or summaries of work published will be used. All publications under this, and prior, AFOSR support are listed in Appendix A, as are listings of formal meeting presentations under the current grant.

The principal investigator left the State University of New York at Buffalo for North Carolina State University in July, 1992. The work reported below, with the exception of that in progress, represents work carried out at Buffalo.

Accesio	on For		
NTIS CRA&I DTIC TAB Unannounced Justification			
By Distrib	ution /		
А	vailability Codes		
Dist	Avail and/or Special		
A-1			

SUMMARY OF WORK: 1 DECEMBER, 1989 - 30 JUNE, 1992.

## I. COMPLETED WORK

A. Studies of Modified Electrodes in Ambient Temperature Molten Salts

This continued work on the behavior of electroactive polymers in the molten salt system.

## 1. Anthraquinone Containing Polymer

A manuscript, "Electrochemistry of 9,10-Anthraquinone Moiety of [1-(Pyrrol-1-yl)-Hex-6-yl]-9,10-Anthraquinone-2-Sulfonate in Aluminum Chloride - 1-Methyl-3-Ethylimidazolium Chloride Ambient Temperature Melt" was published in the Journal of the Bangladesh Chemical Society; Bangladesh was the home of the post-doc involved in the work. See Ref. 106 in Appendix A.

#### **ABSTRACT**

[1-(Pyrrol-1-yl)-Hex 6-yl]-9,10-Anthraquinone-2-Sulfonate has been synthesized and the compound analyzed by FT-NMR. The electroactivity of the anthraquinone moiety was investigated in the basic and acidic aluminum chloride - 1-methyl-3-ethylimidazəlium chloride molten solvent and is found to be strongly influenced by the Lewis acidity of the melt. The compound has been polymerized at an electrode surface in the neutral melt. The polymer coated electrode was studied by cyclic voltammetry in the neutral and basic melts but did not show any electroactivity of the anthraquinone unit. The dissociation of the unit from the polymer or the failure of the large Im<sup>+</sup> cation in the melt to diffuse through the polymer to permit charge neutralization on the reduced anthraquinone is suggested as the probable reason for the absence of electroactivity.

## 2. Electrochemistry of Polyaniline

Three manuscripts on this topic were published, two in Synthetic Metals, "Electrochemistry of Polyaniline in Ambient Temperature Molten Salts" and "Formation and Electrochemistry of Polyaniline in Ambient Temperature Molten Salts" and one in the Journal of Physical Chemistry, "Formation and Electrochemistry of Polyaniline in Ambient Temperature Molten Salts". See Ref. 110, 111 and 114 in Appendix A.

#### **ABSTRACT**

Polyaniline (PAn) films obtained from acidic aqueous solution can be reversibly transferred between aqueous solution and an ambient temperature

molten salt consisting of mixtures of aluminum chloride with 1-methyl-3-ethyl-imidazolium chloride. The films show electrochemical activity in basic, neutral and acidic melts. The doping processes and deterioration mechanism are discussed for these melts. The redox reaction of Pan in basic melt is more stable and facile than in the other melts. The oxidized film is conducting and is insulating on reduction.

#### **ABSTRACT**

Polyaniline (PAn) can be prepared on platinum and glassy carbon electrodes by anodic oxidation of the monomer in ambient temperature molten salts consisting of mixtures of aluminum chloride with 1-methyl-3-ethyl-imidazolium chloride. The formation and electrochemistry of PAn vary as the melt's composition is changed from 0.8:1 (basic) to 2:1 (acidic). The oxidation mechanism of aniline in melts differs from that in acidic aqueous solution and protons are not involved in the polymerization process. The peak potentials of PAn films in aniline-free melts shift to more positive potentials with increasing melt acidity. Transfer of PAn films between different melts and aqueous solution are reversible. Comparison of PAn cyclic voltammograms in aqueous solution with that in the melt suggests that cross linking and multiple substitution of the benzene ring probably take place during the propagation process and deterioration in aniline-free melts.

#### **ABSTRACT**

Simultaneous EPR and electrochemical measurements have been carried out on polyaniline (PAn) prepared by monomer oxidation in an acidic aqueous solution and investigated in an ambient temperature ionic liquid, which consists of a mixture of aluminum chloride and 1-methyl-3-ethyl-imidazolium chloride. The maximum EPR response was found at the point where half the total observed charge had been passed in both cyclic voltammetry and potential step experiments. A one-to-one relationship between the number of spins observed and the number of electrons removed was found to about 25% of full oxidation. Experiments are explained in terms of two unresolved one-electron steps with a thermodynamic comproportionation equilibrium among the neutral, polaron, and bipolaron states. The equilibrium constant  $K_{\text{COM}}$  of the reduced form,  $\alpha$ , and the oxidized form,  $\beta$ , changes with the conductivity and ionic environment of the film. The bipolaron is favored in the initial doping process, and the polaron is dominant in the final doping stage. The EPR response of the polaron decays with a half-life between 8 and 17 s.

#### **B. Studies in Neutral Melts**

We attempted to examine some characteristics of the neutral molten salt system.

# 1. Stoichiometry of Complex Ions

A manuscript on this topic entitled "Determination of the Stoichiometry of Some Metal Chlorocomplex Ions in Basic Ambient Temperature Molten Salts" was published in the Journal of Electroanalytical and Interfacial Electrochemistry. See Ref. 102 in Appendix A.

## **ABSTRACT**

Oxidation waves of chloride at platinum microdisk electrodes in ambient temperature ionic liquid mixtures of 1-methyl-3-ethyl-imidazolium chloride and aluminum chloride were examined by normal pulse voltammetry to obtain information about the stoichiometry of several metal chlorocomplexes. It was found that FeCl<sub>4</sub>, GaCl<sub>4</sub>, CdCl<sub>4</sub><sup>2</sup>, and SmCl<sub>6</sub><sup>3</sup> are the only species present in basic melts, those containing excess ImCl. In solutions of Nd(III), and equilibrium between NdCl<sub>6</sub><sup>3</sup>, NdCl<sub>5</sub><sup>2</sup>, and Cl'exists, for which the dissociation constant is evaluated as 3.7 mol/m<sup>3</sup>. An ill defined wave that could be the oxidation of chloride from CdCl<sub>4</sub><sup>2</sup>, NdCl<sub>6</sub><sup>3</sup>, and SmCl<sub>6</sub><sup>3</sup> is also observed. The Stokes-Einstein coefficient for chloride, using n=1, was found to be: Dη/T = 2.53 x 10<sup>-15</sup> kg m/s<sup>2</sup> K.

#### 2. Buffered Neutral Melt

A manuscript on a procedure to prepare a buffered neutral melt, and testing the system, was published in Journal of Electroanalytical and Interfacial Chemistry. See Ref. 105 in Appendix A.

#### **ABSTRACT**

Mixtures of AlCl<sub>3</sub> and 1-methyl-3-ethyl-imidazolium chloride form ionic liquids at ambient temperatures. It is shown that they may be buffered around their neutral composition point by metal chlorides. Fe(III) electrochemistry studied in a neutral melt buffered by the CdCl<sub>2</sub>/CdCl<sub>4</sub><sup>2-</sup> couple is identical to that in a basic melt. The electrochemical window of Cd(II) buffered melts is 3.5V. Deposition of Cd was observed at ca -1V.

# C. General Electrochemistry

Work in this area involves studies related to the application of micron diameter electrodes to study electrochemical processes in molten salts.

#### 1. Studies in LiCl-KCl

This work is included for completeness, since it is related to this project. However, funding for this work was from SDIO/IST, and managed through the Office of Naval Research. A manuscript was published in the Journal of the Electrochemical Society. See Ref. 99 in Appendix A.

#### **ABSTRACT**

Tungsten microelectrodes (diam = 25 um) have been used to study the deposition and stripping behavior of Li/Li<sup>+</sup> and Bi/Bi<sup>3+</sup> in the LiCl:KCl eutectic at 400°C. The Li deposition current can be simulated assuming the growth of a single hemisphere of liquid metal on the microelectrode. High stripping current densities were observed and quantitated using standard electrochemical equipment. An inverted microscope assembly was employed for *in situ* observations of the Li/Li<sup>+</sup> deposition and stripping processes at the microelectrode. A precipitate appears to form in the melt surrounding the electrode during Li deposition.

# 2. Boundary Renewal in Pulse Voltammetry

Although supported by the National Science Foundation, this work is relevant to our objectives in this area and is included for completeness. A manuscript entitled "Renewal of Boundary Conditions in Pulse Voltammetry at Microdisk Electrodes for Non-Reversible Systems" was published in the Journal of Electroanalytical and Interfacial Chemistry". See Ref. 109 in Appendix A.

#### **ABSTRACT**

Normal and reverse pulse (NP and RP) voltammetry of dopamine and epinephrine at stationary microdisk electrodes have been studied to assess the time parameters required for renewal of boundary conditions. For quasi-reversible systems, the proper choice of the initial potential in an NP experiment results in boundary renewal as for reversible systems. Experimental effects attributed to depletion were found to be close to those predicted from an equation relating the errors in the NP limiting current to ratios of pulse width to waiting time. Depletion effects observed in RP experiments were similar to those for NP experiments at the same ratio of time parameters. For irreversible systems and/or systems with follow-up chemical reactions, longer waiting times are needed for boundary renewal. Even for such systems, an adequate renewal of the surface boundary condition is assured at waiting times which are characterized by the dimensionless parameters appropriate for the experiment.

# 3. Short Time Pulse Voltammetry

Efforts were made to develop a technique for very fast, microsecond, pulse voltammetry and apply the technique to the molten salt system. A manuscript "Short Time Pulse Voltammetry at Very Small Electrodes in Ambient Temperature Chloroaluminate Ionic Liquids" was published in the Journal of the Electrochemical Society. See Ref. 115, Appendix A.

#### **ABSTRACT**

Pulse voltammetry experiments with pulse times as short as 10us were utilized for the study of electrochemical processes in ambient temperature chloroaluminate ionic liquids. The electrochemical processes studied were the first and second oxidation of anthracene, the kinetics of the Fe(III)/Fe(II) chlorocomplexes heterogeneous electron transfer, and the electrochemical/chemical mechanism of Ti(IV) oxychlorocomplex reduction. The working electrode was a Pt disk whose diameter was 26 um. Discrimination against capacitive currents was very god and voltammograms were obtained within seconds thus allowing for averaging of multiple scans.

# 4. Study of Titanium Electrochemistry

A continuation of prior work on Ti in the ambient temperature ionic liquids was carried out in collaboration with the Frank J. Seiler Research Laboratory. A manuscript based on this work was published in Inorganic Chemistry. See Ref. 104 in Appendix A.

#### **ABSTRACT**

The electrochemistry of titanium (IV) has been examined in acidic (AlCl<sub>3</sub>) rich) compositions of the ambient temperature molten salt, AlCl<sub>3</sub> and 1-methyl-3-ethyl-imidazolium chloride (ImCl). Titanium is reduced to Ti(III) and Ti(II) in two one-electron steps, both of which exhibit slow electron-transfer kinetics. The <sup>49</sup>Ti NMR spectra for TiCl<sub>4</sub> and AlCl<sub>3</sub> rich melts exhibit a resonance at ~4ppm (<sup>49</sup>Ti = 0 ppm for neat TiCl<sub>4</sub>). In basic (chloride rich) melts, the <sup>49</sup>Ti resonance for TiCl<sub>6</sub><sup>2-</sup> is found at ~237 ppm. In acidic melts, Ti(IV) is alkylated upon addition of Me<sub>3</sub>Al<sub>2</sub>Cl<sub>3</sub> and is slowly reduced to Ti(III). Combination of TiCl<sub>4</sub> and Me<sub>3</sub>Al<sub>2</sub>Cl<sub>3</sub> in an acidic melt is demonstrated to be a catalytic system for ethylene polymerization.

# 5. Reduction of Dioxygen

Although we had never seen the reduction of dioxygen in these molten salts, Prof. Charles Hussey, at the University of Mississippi, had obtained a reduction wave and reported this to us. We carried out collaborative work on

this, with great difficulty and not a great deal of success, but a Note was published in Inorganic Chemistry. See Ref. 108 in Appendix A.

#### ABSTRACT

The voltammetric behavior of dioxygen was examined in an ambient temperature molten salt composed of AlCl<sub>3</sub> and 1-methyl-3-ethyl-imidazolium chloride. A single, totally irreversible reduction was found in a basic melt at a freshly cleaned glassy carbon electrode. The electrode quickly passivated and no reduction wave could be observed after several voltammetric scans. No reduction wave could be observed in an acidic melt, suggesting much more rapid passivation of the electrode surface.

# D. Chemistry and Electrochemistry in Superacid Systems

The addition of proton to an acidic melt results in a superacid. Here we report on studies aimed at understanding the behavior of proton and the acid/base characteristics of the ambient temperature molten salt system.

# 1. Oxide and Hydroxide Species

A manuscript entitled "Oxide and Hydroxide Species Formed on Addition of Water in Ambient Temperature Chloroaluminate Melts: An<sup>17</sup>O NMR Study" was published in Inorganic Chemistry. See Ref. 103 in Appendix A.

### ABSTRACT

The variation of the intensity of <sup>17</sup>O NMR lines with manipulation of proton concentration and melt composition has been used to model oxy- and hydroxychloroaluminate species in the ambient temperature molten salt system 1-methyl-3-ethylimidazolium chloride/aluminum chloride. It is concluded that the most probably oxychloroaluminate species in acidic melts are Al<sub>3</sub>Cl<sub>9</sub>O<sup>2-</sup> and either Al<sub>3</sub>O<sub>2</sub>Cl<sub>6</sub>- or Al<sub>2</sub>OCl<sub>5</sub>-, and the most probable hydroxychloroaluminate species are Al<sub>3</sub>Cl<sub>9</sub>OH<sup>-</sup> and Al<sub>2</sub>Cl<sub>6</sub>OH<sup>-</sup>, with the latter being favored. In the basic melts, the most probable oxy- and hydroxychloroaluminate species are Al<sub>2</sub>OCl<sub>5</sub>- and Al<sub>2</sub>Cl<sub>6</sub>OH<sup>-</sup>.

# 2. Donor-Acceptor Properties

An effort to correlate the ambient temperature molten salt systems acidity scale to the classic Gutmann donor-acceptor concept was made. A manuscript on this work was published in Inorganic Chemistry. See Ref. 100 in Appendix A. (This work was in press at the time the previous Final Report was written, but is included here for completeness.)

#### **ABSTRACT**

The donor-acceptor properties of room-temperature chloroaluminate ionic liquids, composed of mixtures of AlCl3 with either N-(1-butyl)pyridinium chloride or 1-ethyl-3methylimidazolium chloride were studied. Gutmann donor and acceptor numbers were determined by using the Eu(III) reduction potential and the <sup>31</sup>P chemical shift of triethylphosphine oxide, respectively. Acidic melts are extremely poor donor and strong acceptor media. Basic melts are similar in basicity to DMF. No conclusions concerning the acceptor properties of the basic melt are drawn from this work since the strongly basic probe molecule, Et<sub>3</sub>P=O, is leveled by the solvent. Conditions under which these parameters are potentially useful are outlined.

#### 3. Mixed Bronsted Lewis Acid Adducts

Two manuscripts on this topic were published; the first was a Communication, the second a full paper, in the Journal of the American Chemical Society. Only the abstract of the full paper is given below. See Ref's. 101 and 107 in Appendix A.

#### ABSTRACT

A mixed Lewis-Bronsted acid ambient temperature chloroaluminate molten salt, in which both the Lewis and Bronsted acidity may be varied, has been investigated making use of a probe solute molecule. The interaction of the proton and molten salt solvent with N.N-dimethylaniline has been investigated making use of electrochemistry and NMR spectroscopy. The ambient temperature choroaluminate molten salt, composed of 1-ethyl-3methylimidazolium chloride, ImCl, and aluminum chloride, is the underlying Lewis acid substrate, to which a proton source, ImHClo, is added. DMA is oxidized in both the basic and acidic melts in the absence of proton and forms an AlCl<sub>3</sub> adduct in an acidic (excess AlCl<sub>3</sub>) melt; the potential for oxidation in the acidic melt is considerably more positive than that in the basic melt. Upon addition of proton, the DMA oxidation wave disappears. In a basic melt (excess ImCI), an amperometric titration indicates that DMA reacts quantitatively with protons, added as ImHCl<sub>2</sub>, to form DMAH<sup>+</sup>, which is not oxidized in the meli window. 13C and 1H NMR spectroscopy show changes in chemical shifts consistent with these observations. DMAH+ shows a reduction wave at potentials more negative than that shown by "free" proton reduction in the basic melt; reverse pulse voltammetry from the limiting plateau for this reduction wave shows a H<sub>2</sub> oxidation wave and reappearance of the DMA oxidation wave. These results indicate that the process corresponds to the reduction of the proton from the DMAH+ to yield H2 and DMA at the electrode surface. In an acidic melt, DMA forms an AICI3 adduct; on addition of proton, a DMAH+ species, which cannot be oxidized in the melt window, is formed. However, the

reaction of the DMA-AICI<sub>3</sub> adduct in the acidic melt with proton appears to be less quantitative than the reaction of proton with DMA in the basic melt. Again, the <sup>13</sup>C and <sup>1</sup>H NMR support these observations.

#### 4. Proton Removal

In performing the studies referenced above, it was necessary to develop a procedure for proton removal. A manuscript describing the procedure was published in Analytical Chemistry. See Ref. 112 in Appendix A.

#### **ABSTRACT**

The application of high vacuum effectively removes protons from ambient temperature chloroaluminate ionic liquids, or molten salts, consisting of mixture of 1-ethyl-3-methylimidazolium chloride and aluminum chloride. Electroanalytical and NMR techniques are used to show the efficacy of the proton removal process. In addition, a combination of electroanalytical and NMR measurements suggests that protons, when present in these ionic liquids as Al-O-H entities, are not electrochemically active.

#### E. Miscellaneous

An EPR study of solvation in these ambient temperature molten salts was undertaken and a manuscript published in the Journal of Physical Chemistry. See Ref. 113 in Appendix A.

#### **ABSTRACT**

EPR spectra of 2,2,6,6-tetramethylpiperidine-1-oxyl (tempo) and of 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (tempamine) were obtained in ionic liquids composed of 1-ethyl-3-methylimidzaolium chloride, ImCl, and aluminum chloride and in mineral oil. In basic solutions, those containing a molar excess of ImCl, the rotational correlation time of tempamine was ca. 27 times longer than for temp. This is probably the result of a specific interaction of melt species with the basic NH<sub>2</sub> moiety of tempamine. The <sup>14</sup>N hyperfine coupling constant of temp, 20.5 G, is appreciably larger due to adduct formation with AlCl<sub>3</sub>.

Five articles were also published in two different volumes of the Electrochemical Society's Proceedings of the Seventh and Eighth International Symposia on Niolten Salts. These are Ref. 116 to 120 in Appendix. A.

## II. Work in Press and in Progress

There was a good deal of work in progress at the conclusion of this grant period, mainly involving manuscripts which were in the process of being written. At the time of the prove to North Carolina State University in July, 1992, four manuscripts were in press. These were "Electrochemical and Spectroscopic Study of Anthracene in a Mixed Lewis-Bronsted Acid Ambient Temperature Molten Salt System", in press in Electrochimica Acta, "Interaction of 9,10-Archraquinone with Tetrachloroaluminate and Proton in Basic Aluminum Chloride: 1-Ethyl-3-Methylimidazolium Chloride Room Temperature Molten Salts", in press in the Journal of the Electrochemical Society, and "Proton Speciation in Ambient Temperature Chloroaluminate Ionic Liquids", in press in Inorganic Chemistry, and "Electrochemical Studies of Tris-(acetylacetonato)ruthenium(III) Complex in Ambient Temperature Chloroaluminate Molten Salts", in press in Inorganic Chemistry. See Refs. 121 to 124 in Appendix A.

In addition, several other manuscripts were being prepared for submission. The titles of these, at least tentatively, are: 1) Electrode Processes of ( $\eta^5$ –Cyclopentadienyl)-(1,2-Substituted 1,2 Ethylenedithiolato) Cobalt(III) Complexes in an Ambient Temperature Molten Salt; 2) Short Time Pulse Voltammetric Studies of Fast Heterogeneous Electron Transfer Reactions; 3) Dependence of Electron Transfer Kinetics of the Ferrocene/Ferrocenium Couple on the Viscosity in Ambient Temperature Chloroaluminate Ionic Liquids; 4) NMR Studies of the Proton Equilibrium in Basic Ambient Temperature Chloroaluminate Ionic Liquids. These will be discussed in the Final Report on the following project.

It must be realized that, at the conclusion of this grant period, we were engaged in packing up the laboratory preparing to move!

#### III. Interaction with Air Force Laboratories and Personnel

Interactions, via telephone and visits, were held with a number of the personnel at the Seiler Laboratory. A joint effort resulted in a publication. Captain Paul Trulove completed his Ph. D. at the State University of New York and joined the Seiler Research Laboratory in the Fall of 1991.

#### IV. Other Activities

In May, 1990, the principal investigator received the Jacob F. Schoellkopf Award of the Western New York Section of the American Chemical Society; the Award was presented at a banquet.

The principal investigator was the recipient of the 1991 American Chemical Society Division of Analytical Chemistry Award in Electrochemistry. The Award was presented at a Symposium at the American Chemical Society meeting in New York in August, 1991.

The principal investigator was also the recipient of the 1992 Max Bredig Award in Molten Salt Chemistry, presented by the Physical Electrochemistry Division of the Electrochemical Society at the Society meeting in St. Louis in May, 1992. The long-time support of AFOSR in supporting work which lead to this award was acknowledged at that meeting, and in this Final Report.

Talks presented at various meetings during the grant period are given in Appendix B.

#### V. Personnel

Personnel associated with this activity for any extended time during the grant period are listed below.

#### Senior Research Personnel:

Dr. Jinsong Tang

Dr. Michael Carter

Dr. William Ryan

Dr. John O'Dea

Dr. Shihua Song

Dr. Dow Maharajh

\*Dr. Robert Allendoerfer

## Junior Research Personnel:

Mr. Marc A.-M. Nöel<sup>+</sup>
Captain Paul Trulove \*,+

#### Secretarial Personnel

Ms. Rosanne Leggio

<sup>\*</sup>Not paid on grant funds

<sup>+</sup>Ph.D. received during grant period

#### APPENDIX A

Publications—Grant Related Activity - since AFOSR support initiated.

## AFOSR-71-1955; 1 Jan. 1971 - 28 Feb. 1975

- Janet Osteryoung and R. A. Osteryoung, "The Advantage of Charge Measurements for Determining Kinetic Parameters", Electrochimica Acta, 16, 525 (1971).
- 2. R. A. Osteryoung, "Introduction to the On-Line Use of Computers in Electrochemistry", Vol. II, "Application of Computers to Chemical Instrumentation", Ed. by Mattson, Mark and MacDonald, Marcel Dekker (1973).
- 3. L. G. Boxall, H. L. Jones and R. A. Osteryoung, "Solvent Equilibria in AlCl<sub>3</sub>-NaCl Melts", J. Electrochem. Soc., <u>120(2)</u>, 223 (1973).
- 4. H. Lloyd Jones, L. G. Boxall and R. A. Osteryoung, "Organic Electrode Reactions in Fused AlCl<sub>3</sub> Containing Solvents", J. Electroanal. Chem., 38, 476 (1972).
- 5. L. G. Boxall, H. L. Jones and R. A. Osteryoung, "Electrochemical Studies on Ag, Fe and Cu Species in AlCl<sub>3</sub>-NaCl Melts", J. Electroanal. Chem., 121, 212 (1974).
- 6. H. Lloyd Jones and R. A. Osteryoung, "Electrode Reactions of Aromatic Amines in Solvents Containing Fused AlCl3:II.", J. Electroanal. Chem., 49, 281 (1974).
- 7. R. J. Gale and R. A. Osteryoung, "Investigation of Subvalent Ion Effects During Aluminum Anodization in Molten NaCl-AlCl<sub>3</sub> Solvents", J. Electrochem. Soc., <u>121</u>, 983 (1974).
- 8. V. R. Koch, L. L. Miller and R. A. Osteryoung, "Reductive Defunctionalization of 1-substituted Adamantanes in Molten Sodium Teu achloroaluminate", J. Org. Chem., 39, 2416 (1974).
- H. Lloyd Jones and R. A. Osteryoung, "Organic Reactions in Molten Tetrachloroaluminate Solvents", Advances in Molten Salt Chemistry, Vol. 3, Edited by J. Braunstein, G. P. Smith and G. Mamantov, Plenum Publishing (1975).

- 10. R. J. Gale and R. A. Osteryoung, "Dissociative Chlorination of Nitrogen Oxides and Oxyanions in Molten Sodium Chloride-Aluminum Chloride Solvent", Inorg. Chem., 14, 1232 (1975).
- 11. H. L. Chum, V. R. Koch, L. L. Miller and R. A. Osteryoung, "An Electrochemical Scrutiny of Organometallic Iron Complexes and Hexamethylbenzene in a Room Temperature Molten Salt", J. Am. Chem. Soc., <u>97</u>, 3264 (1975).
- 12. D.E. Bartak and R. A. Osteryoung, "The Electrochemical Oxidation of N,N,N',N'-Tetramethylbenzidine in Molten Sodium Tetrachloroaluminate", J. Electrochem. Soc., 122, 600 (1975).
- J. Phillips, R. J. Gale, R. G. Wier and R. A. Osteryoung, "Glassy Carbon Rotating Ring-Disc Electrodes for Molten Salt Studies", Anal Chem., 48, 1266 (1976).
- 14. D. E. Bartak and R. A. Osteryoung, "The Redox Behavior of Tetrachloro-p-Benzoquinone-Tetrachlorohydroquinone Systems in Molten Aluminum Chloride-Sodium Chloride Solvents", J. Electroanal. Chem., <u>74</u>, 69 (1976).

# AFOSR 75-2776; 1 March 1975 - 31 May 1976

- 15. V. R. Koch, L. L. Miller and R. A. Osteryoung, "Electroinitiated Friedel-Crafts Transalkylations in a Room Temperature Molten Salt Media", J. Am. Chem. Soc., <u>98</u>, 5377 (1976).
- 16. K. A. Paulsen and R. A. Osteryoung, "Electrochemical Studies on Sulfur and Sulfides in AlCl<sub>3</sub>-NaCl Melts", J. Am. Chem. Soc. ,98, 6866 (1976).
- 17. R. A. Osteryoung, "Chemistry and Electrochemistry in Aluminum Chloride Molten Salt Systems", Proceedings of the Symposium on Molten Salts, edited by J. P. Pemsler, J. Braunstein, K. Nobe, D. R. Morris, pp. 240-253, The Electrochemical Society, Pennington, NJ (1976).

# AFOSR 766-2978; | April 1976 - 30 June, 1979

- 18. J. Phillips and R. A. Osteryoung, "Molybdenum Chemistry in NaCl-AlCl<sub>3</sub> Melts at 175°C", J. Electrochem. Soc., <u>124</u>, 1405 (1977).
- 19. J. Robinson, B. Gilbert and R. A. Osteryoung, "The Acid-Base Chemistry of Oxide and Chalcogenides in Sodium Tetrachloroaluminate Melts at 175°C", Inorg. Chem., 16, 3040 (1977).

- 20. Helena Li Chum, T. Rabockai, J. Phillips and R. A. Osteryoung, "Ligand-Oxidation in Iron Diimine Complexes. III. Electrochemical Oxidation of tris-(glyoxalbis(methylimine))lron(II)", Inorg. Chem., 16, 1812 (1977).
- 21. Helena Li Chum, D. Koran and R. A. Osteryoung, "The Electrochemical Behavior of Metal Carbonyls in a Mixture of a Room Temperature Molten Salt and Benzene", J. Organometallic Chem., 140, 349 (1977).
- 22. Helena Li Chum, D. Koran and R. A. Osteryoung, "Photochemistry of Iron(II)Diimine Complexes in a Room Temperature Molten Salt", J. Am. Chem. Soc., 100, 310 (1978).
- 23. J. Robinson and R. A. Osteryoung, "Electrochemical Studies of Selenium and Selenium Compounds in Molten Sodium Tetrachloroaluminate Melts", J. Electrochem. Soc., 125, 1454 (1978).
- 24. B. Gilbert and R. A. Osteryoung, "Electrochemical Studies on Nickel Electrodes in Molten Sodium Tetrachloroaluminates", J. Am. Chem. Soc., 100, 2725 (1978).
- 25. Gleb Mamantov and R. A. Osteryoung, "Acid-Base Dependent Redox Chemistry in Molten Chloroaluminates", in "Characterization Or Solutes in Non-Aqueous Solutions", pg 225-250, G. Mamantov, Ed., Plenum Publishing Co. (1977).
- 26. R. J. Gale, B. Gilbert and R. A. Osteryoung, "Raman Spectra of Molten Aluminum Chloride: 1 Butylpyridinium Chloride Systems at Ambient Temperature", Inorg. Chem., 17, 2728 ~978).
- J. Robinson and R. A. Osteryoung, "The Electrochemical Behavior of Te(IV) in Sodium Tetrachloroaluminates", J. Electrochem. Soc., <u>125</u>, 1784 (1978).
- 28. J. Robinson and R. A. Osteryoung, "The Electrochemical and Spectroscopic Behavior of Some Aromatic Hydrocarbons in the Room Temperature Molten Salt System AlCl,:n-Butylpyridinium Chloride", J. Am. Chem. Soc., 101, 321 (1978).
- 29. J. Robinson, R. C. Bugle, H. L. Chum, D. Koran and R. A. Osteryoung, <sup>1</sup>H and <sup>13</sup>C Nuclear Magnetic Resonance Spectroscopy Studies of Aluminum Halide-Alkyl Pyridinium Halide Molten Salts and Their Benzene Solutions", J. Am. Chem. Soc, <u>101</u>, 3776 (1979).

30. R. J. Gale and R. A. Osteryoung, "Potentiometric Investigation of Dialuminum Heptachloride Formation in Aluminum Chloride: 1-butyl-pyridinium Chloride Mixtures", Inorg. Chem., 18, 1603 (1979).

# AFOSR F49620-79-C-0142: 1 June 1979 - 30 Sept. 1980

- 31. J. Robinson and R. A. Osteryoung, "The Electrochemical Behavior of Aluminum in the Low Temperature Molten Salt System n-Butyl Pyridinium Chloride; Aluminum Chloride and Mixtures of this Molten Salt with Benzene", J. Electrochem. Soc., 127, 122 (1980).
- J. Robinson and R. A. Osteryoung, "An Investigation into the Electrochemical Oxidation of Some Aromatic Amines in the Room Temperature Molten Salt System AlCl<sub>3</sub>:N-Butylpyridinium Chloride", J. Am. Chem Soc., <u>102</u>, 4415 (1980).
- 33. R. J. Gale and R. A. Osteryoung, "Electrochemical Reduction of Pyridinium Ions in Ionic Aluminum Chloride-Alkylpyridinium Halide Ambient Temperature Liquids", J. Electrochem.Soc., <u>127</u>, 2167 (1980).
- 34. R. J. Gale and R. A. Osteryoung, "Electrical Double Layer at Mercury in Room Temperature Aluminum Chloride~ Butylpyridinium Chloride Ionic Liquids", Electrochemica Acta, <u>25</u>, 1527 (1980).
- 35. R. J. Gale and R. A. Osteryoung, "Infrared Spectral Investigations of Ambient Molten Aluminum Chloride:-1-Butylpyridinium Chloride Systems", Inorg. Chem., 19, 2240 (1980).
- 36. Janet Osteryoung and Emilia Kirowa-Eisner, "Reverse Pulse PolaroRraphy", Anal. Chem., <u>52</u>, 62-66 (1980).
- 37. Koichi Aoki, R. A. Osteryoung and Janet Osteryoung, "Differential Normal Pulse Voltammetry", J. Electroanal. Chem., <u>110</u>, 1-18 (1980).

# AFOSR-81-0007; 1 October, 1980 - 31 August, 1984

- 38. B. J. Welch and R. A. Osteryoung, "Electrochemical Studies in Low Temperature Molten Salt Systems Containing Aluminum Chlorides", J. Electroanal. Chem., <u>118</u>, 455-466 (1981).
- 39. Z. StoJek, H. Linga and R. A. Osteryoung, "A Titration Procedure for the Determination of Oxide in Basic n-Butyl-pyridinium Chloride: Aluminum Chloride Melts", J. Electroanal. Chem., <u>119</u>, 365-70 (1981).

- 40. H. Linga, Z. StoJek and R. A. Osteryoung, "Electrochemistry of Titanium(III) in Basic n-Butylpyridinium Chloride and Aluminum Chloride in Presence of Oxide", J. Am. Chem. Soc., 103, 3754 (1981).
- 41. Helena Li Chum, D. Koran and R. A. Osteryoung, "Substituent Effects in Iron Diimine Complexes: Correlations with Thermodynamic Properties in a Room Temperature Molten Salt", Inorg. Chem., 20, 3304-3307 (1981).
- \*42. T. R. Brumleve, John J. O'Dea, Robert Osteryoung and Janet Osteryoung, "Differential Normal Pulse Voltammetry in the Alternate Pulse Mode Reversible Electrode Reactions", Anal. Chem., <u>53</u>, 702 (1981).
- \*43. T. R. Brumleve and Janet Osteryoung, "Theory of Differential Normal Pulse Voltammetry in the Alternating Pulse Mode for Totally Irreversible Electrode Reactions", Anal. Chem., <u>53</u>, 988-991 (1981).
- \*44. T. R. Brumleve, R. A. Osteryoung and Janet Osteryoung, "Differential Normal Pulse Voltammetry for the Anodic Oxidation of Iron(II); Anal. Chem., <u>54</u>, 782-787 (1982).
- \*45. T. R. Brumleve and Janet Osteryoung, "Spherical Diffusion and Shielding Effects in Reverse Pulse Voltammetry", J. Phys. Chem., <u>86</u>, 1794-1801 (1982).
- 46. G. T. Cheek and R. A. Osteryoung, "Electrochemical and Spectroscopic Studies of 9,10-Anthraquinone in a Room Temperature Molten Salt", J. Electrochem. Soc., 129, 2488 (1982).
- 47. C. Nanjundiah, K. Shimizu and R. A. Osteryoung, "Electrochemical Studies of Fe(II) and Fe(III) in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid", J. Electrochem. Soc., 129, 2474 (1982).
- 48. G. T. Cheek and R. A. Osteryoung, "Preparation and Characterization of a Substituted Alkylpyridinium Chloroaluminate Molten Salt System", Inorg. Chem., 21, 3581 (1982).
- G. T. Cheek and R. A. Osteryoung, "An Electrochemical and Infra-red Study of Chloranil in n-Butylpyridinium Chloride: Aluminum Chloride Ionic Liquid", J. Electrochem. Soc., <u>129</u>, 2739 (1982).

\*Work related to pulse methodology development but not supported by A.F.O.S.R.

- 50. Chenniah Nanjundiah and R. A. Osteryoung, "Electrochemical Studies of Cu(I) and Cu(II) in an Aluminum Chloride-N-(n-Butylpyridinium) Chloride Ionic Liguid", J. Electrochem. Soc., 130, 1312 (1983).
- 51. Saeed Sahami and R. A. Osteryoung, "Voltammetric Determination of Water In an Aluminum Chloride-N-n-Butylpyridinium Chloride Ionic Liquid", Anal. Chem., 55, 1970 (1983).
- 52. Z. Karpinski and R. A. Osteryoung, "Electrochemical Studies of fodine in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid. I. Acidic Solvent Composition", J. Electroanal. Chem., 164, 281 (1984).
- 53. D. A. Habboush and R. A. Osteryoung, "Electrochenmical Studies of Sb(III) and Sb(V) in Molten Mixtures of Aluminum Chloride and Butylpyridinium Chloride", Inorg. Chem., 23, 1726 (1984).
- 54. R. A. Osteryoung, R. J. Gale, J. Robinson, R. Bugle and B. Gilbert, "Electrochemical Studies in Room Temperature Molten Salts", in "Proceedings of the Second International Symposium on Molten Salts", J. Braunstein and R. Selman, eds., pg. 214-219, The Electrochemical Society, Pennington, NJ (1981).
- 55. R. A. Osteryoung, G. Cheek and H. Linga, "Studies in Room Temperature Chloroaluminates", in "Proceedings of the Third International Symposium on Molten Salts", G. Mamantov, ed., pg. 221-236, The Electrochemical Society, Pennington, NJ (1981).
- 56. C. Nanjundiah, K. Shimizu and R. A. Osteryoung, "Electrochemical Studies in an Aluminum Chloride-Butylpyridnium Chloride Ionic Liquid" in "Proceedings of the Workshop on Thermally Regenerative Electrochemical Systems", SERI/CP-234-1577, Solar Energy Research Institute, Golden, Colorado (1982).
- 57. H. L. Chum and R. A. Osteryoung, "Chemical and Electrochemical Studies in Room Temperature Aluminum Halide Containing Melts", in "Ionic Liquids", D. Inman and D. Lovering, eds., pg. 407-423, Plenum Press, London (1981).
- 58. R. J. Gale and R. A. Osteryoung, "High and Room Temperature Haloalumintes", in "Molten Salt Techniques", D. Lovering and R. J. Gale, eds., Ch. 3, pgs 55-78, Plenum Press, New York (1983).
- 59. G. T. Cheek and R. A. Osteryoung, "Preparation and Characterization of a Substituted Alkylpyridinium Chloroaluminate Molten Salt System", Inorg. Chem., 21, 3581 (1982).

- 60. M. Lipsztajn and R. A. Osteryoung, "Increased Electrochemical Window in Ambient Temperature Ionic Ionic Liquids", J. Electrochem. Soc., <u>130</u>, 1968 (1983).
- 61. M. Lipsztajn and R. A. Osteryoung, "Reactions Or Chloride Ions in Low Temperature Molten Salt and Applications to the Study of Complex Ion Stoichiometry", Inorg. Chem., 23, 1735 (1984).
- 62. Z. Karpinski and R. A. Osteryoung, "On Determination of Equilibrium Constants for the Tetrachloroaluminate Dissociation in Ambient Temperature Ionic Liquids", Inorg. Chem., 23, 1491 (1984).
- 63. P. G. Pickup and R. A. Osteryoung, "Polymer Coated Electrodes in Ambient Temperature Ionic Liquids", J. Electrochem. Soc., <u>130</u>, 1965 (1983).
- 64. S. Sahami and R. A. Osteryoung, "Electrochemical and Spectroscopic Studies of Polypyridine Complexes of Fe(II)/(III) and Ru(II)/(III) in the Aluminum Chloride N-(1-Butyl)pyridinium Chloride Molten Salt System", Inorg. Chem., 23, 2511 (1984).
- 65. P. G. Pickup and R. A. Osteryoung, "Electrochemical Polymerization of Pyrrole and Electrochemistry of Polypyrrole Films in Ambient Temperature Molten Salts", J. Am. Chem. Soc., <u>106</u>, 2294 (1984).

# AFOSR-84-0292; 1 August 1984 - 30 November 1986

- 66. P. G. Pickup and Robert A. Osteryoung, Charging and Discharging Rate Studies of Polypyrrole Films in AlCl<sub>3</sub>:1-Methyl-(3-Ethyl)-Imidazolium Chloride Molten Salts and in CH<sub>3</sub>CN" J. Electroanal. Chem., <u>195</u>, 271 (1985).
- 67. P. G. Pickup and Robert A. Osteryoung, Charge Transport in Poly-[Ru(2,2'-Bipyridine) (4-Vinylpyridine)]<sup>3+/2+</sup> Films in AlCl<sub>3</sub> /N-(1-Butyl)pyridinium Chloride and AlCl<sub>3</sub> /1-Methyl(3-Ethyl)imidazolium Chloride Molten Salts" J. Electroanal. Chem., <u>186</u>, 99 (1985).
- 68. P. G. Pickup and R. A. Osteryoung, "Electrochemistry and Spectroelectrochemistry in CH<sub>3</sub>CN and Aluminum Chloride/N-(1-Butyl)pyridinium Chloride Molten Salts of Films Prepared by Electrochemical Polymerization of Tris(5-amino-1,10-phenanthroline)Iron (II)", Inorg. Chem., 24, 2707 (1985).

- 69. L. Janiszewska and R. A. Osteryoung, "Electrochemistry of Polythiophene and Polybithiophene Films in Ambient Temperature Molten Salts", J. Electrochem. Soc., <u>134</u>, 2787 (1987).
- 70. M. LipsztaJn and R. A. Osteryoung, "Electrochemical Reduction of N-(1-Butyl)Pyridinium Cation in 1-Methyl-3-Ethyl-Imidazolium Chloride-Aluminum Chloride Ambient Temperature Ionic Liquids", Electrochim. Acta, 29, 1349 (1984).
- 71. M. LipsztaJn and R. A. Osteryoung, "Electrochemistry in Neutral Ambient Temperature Ionic Liquids. Part I. Studies of Iron(III), Neodymium(III) and Lithium(I)", Inorg. Chem., <u>24</u>, 716 (1985).
- 72. M. LipsztaJn and R. A. Osteryoung, "Studies of Antimony(III) in Ambient Temperature Ionic Liquids", Inorg. Chem., <u>24</u>, 3492 (1985).
- 73. M. Lipszta~n, S. Sahami and R. A. Osteryoung, "Hydroquinone as a Proton Donor in Ambient Temperature Chloroaluminate Ionic Liquids: Reaction with Chloride Ion", Inorg. Chem., <u>25</u>, 549 (1986).
- 74. Z. Karpinski, C. NanJundiah and R. A. Osteryoung, "Electrochemical Studies of Ferrocene and Ferrocenium Ion in Liquid", Inorg. Chem., 23, 3358 (1984).
- 75. Z. Karpinski and R. A. Osteryoung, "Electrochemical Studies of Iodine in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid: Part II. Neutral and Basic Solvent Composition", J. Electroanal. Chem., <u>178</u>, 281 (1984).
- 76. Z. Karpinski and R. A. Osteryoung, "Spectrophotometric Studies of Iodine Complexes in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid", Inorg. Chem., 23, 4561 (1984).
- 77. Z. Karpinski and R. A. Osteryoung, "Potentiometric Studies of the Chlorine Electrode in Ambient Temperature Chloroaluminate Ionic Liquids: Determination of Equilibrium Constants for Tetrachloroaluminate Ionic Dissociation", Inorg. Chem., 24, 2259 (1985).
- 78. S. Sahami and R. A. Osteryoung, "Electrochemical Oxidation of Some Metal Carbonyls in Ambient Temperature Ionic Liquids", Electrochim. Acta, 30, 143 (1985).
- 79. M. Lipsztajn and R. A. Osteryoung, "On Ionic Association in Ambient Temperature Chloroaluminate Molten Salts: Analysis of Electrochemical and Conductance Data", J. Electrochem. Soc., <u>132</u>, 1126 (1985).

- 80. T. A. Zawodzinski, Jr., R. Kurland and R. A. Osteryoung, "Relaxation Time Measurements in N-(1-Butyl)pyridinium-Aluminum Chloride Ambient Temperature Ionic Liquids", J. Phys. Chem., 91, 962 (1987).
- 81. Robert A. Osteryoung, "Organic Chloroaluminate Ambient Temperature Molten Salts", Robert A. Osteryoung, in Molten Salt Chemistry: An Introduction and Selected Applications, G. Mamantov and R. Marassi, Eds., Pgs. 329-364, NATO ASI Series C: Mathematical and Physical Sciences, Vol. 202, D. Reidel Publishing Co., Dordrecht, Boston, (1987).

## AFOSR-87-0088; 1 December, 1986 - 30 November, 1989

- 82. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "Aspects of the Chemistry of Water in Ambient Temperature Chloroaluminate Ionic Liquids: I70 NMR Studies", Inorg. Chem., 26, 2920 (1987).
- 83. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "The Chemistry of Water in Ambient Temperature Chloroaluminate Ionic Liquids: NMR Studies" in Proceedings of the Joint International Symposium on Molten Salts, G. Mamantov et al., Eds., Vol. 87-7, pp. 406-413, The Electrochemical Society, Pennington, NJ (1987).
- 84. T. A. Zawodzinski, Jr., R. Carlin and R. A. Osteryoung, "Removal of Protons from Chloroaluminate Ionic Liquids", Final. Chem., <u>59</u>, 2639 (1987).
- 85. L. Janiszewska and R. A. Osteryoung, "Investigations on the Formation of Polyfluorene and Its Electrochemistry in Ambient Temperature Ionic Liquids", J. Electrochem. Soc., <u>135</u>, 116 (1988).
- 86. F. Uribe and R. A. Osteryoung, "Electrochemical and Spectroscopic Studies of 1,4-Benzoquinone in Ambient Temperature Chloroaluminate Molten Salts", J. Electrochem. Soc., <u>135</u>, 378 (1988).
- 87. J. F. Oudard, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR Electrochemical and Spectroscopic Studies in Ambient Temperature Icnic Liquids", J. Electroanal. and Interfac. Chem., <u>241</u>, 231 (1988).
- 88. J. F. Oudard, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR Electrochemical Measurements on Polyfluorene in Ambient Temperature Ionic Liquids", Synth. Met., 22, 407 (1988).

- 89. R. Carlin and R. A. Osteryoung, "Electrochemistry of Molybdenum Chloride Dimers in a Basic Ambient Temperature Molten Salt", Inorg. Chem., <u>27</u>, 1483 (1988).
- 90. Lin Sinru, J. J. O'Dea, J. Osteryoung and R. A. Osteryoung, "Normal and Reverse Pulse Voltammetry at Microdisc Electrodes", Anal. Chem., 60, 1135 (1988).
- 91. Lin Sinru and R. A. Osteryoung, "Normal and Reverse Pulse Voltammetry from Poised Systems at Microdisk Electrodes", Anal. Chem., <u>60</u>, 1845 (1988).
- 92. R. Carlin and R. A. Osteryour,g, "Reactions of Protons and Molybdenum Dimers in an Ambient Temperature Molten Salt", Inorg. Chem., <u>27</u>, 3675 (1988).
- 93. R. Carlin and R. A. Osteryoung, "Microelectrodes in the Examination of Anodic and Cathodic Limit Reactions of an Ambient Temperature Molten Salt", J. Electroanal. and Interfac. Chem., 252, 81 (1988).
- 94. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "1-Methyl-3Ethylimidazolium Hydrogen Bichloride: Synthesis and Application to the Study of Protons in Ambient Temperature Chloroaluminate Ionic Liquids", Inorg. Chem., <u>27</u>, 4383 (1988).
- 95. T. A. Zawodzinski, Jr., L. Janiszewska and R. A. Osteryoung, "On the Chemistry of Pyrrole in Room Temperature Chloroaluminate Melts", J. Electroanal. and Interfac. Chem., <u>255</u>, 111, (1988).
- 96. B. Das, R. T. Carlin and R. A. Osteryoung, "The Ferro/Ferric/anide Couple in Aluminum Chloride-Imidazolum Chloride Ambient Temperature Molten Salts", Inorg. Chem., <u>28</u>, 421 (1989).
- 97. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "Donor-Acceptor Properties of Ambient Temperature Chloroaluminate Melts", Inorg. Chem., <u>28</u>, 1710 (1989).
- \*98. R. Carlin and R. A. Osteryoung, "Aluminum Anodization in Basic Ambient Temperature Molten Salts", J. Electrochem. Soc., <u>136</u>, 1409 (1989).

<sup>\*</sup> Work relevant to this grant but supported in part by SDIO/IST, managed by ONR.

22

## AFOSR 90-0099; 1 December, 1989 - 30 June, 1992

#### Published:

- \*99. R. T. Carlin and R. A. Osteryoung, "Deposition Studies of Lithium and Bismuth at Tungsten Microelectrodes in LiCl:KCI Eutectic", J. Electrochem. Soc., 136, 1249-1255 (1989).
- Thomas A. Zawodzinski, Jr. and R. A. Osteryoung, "Donor Acceptor Properties of Ambient-Temperature Chloroaluminate Melts", Inorg. Chem., 28,1710-1715 (1989).
- 101. P. C. Trulove, R. T. Carlin, and R. A. Osteryoung, "Lewis and Bronsted Acid Adducts in Ambient Temperature Chloroaluminate Molten Salts", J. Am. Chem. Soc., 112, 45674568 (1990).
- 102. Marc A.-M. Nöel and Robert A. Osteryoung, "Determination of the Stoichiometry of Some Metal Chlorocomplex Ions in Basic Ambient Temperature Molten Salts", J. Electroanal. Chem., 284, 413-429 (1990).
- 103. Thomas A. Zawodzinski, Jr. and R. A. Osteryoung, "Oxide and Hydroxide Species Formed on Addition of Water in Ambient Temperature Chloroaluminate Melts: An <sup>17</sup>0 NMR Study", Inorg. Chem., <u>29</u>, 2842-2847 (1990).
- 104. R. T. Carlin, R. A. Osteryoung, J. S. Wilkes and J. Rovang, "Studies of Titanium(IV) Chloride in a Strongly Lewis Acidic Molten Salt: Electrochemistry, Titanium NMR and Electronic Spectroscopy", Inorg. Chem., 29, 3003-3009 (1990).
- 105. Marc Nöel and R. A. Osteryoung, "Use of Metal Chlorides to Buffer Neutral Ambient Temperature Molten Salts", J. Electroanal. Chem., 293, 108, 139-150 (1990).
- 106. Basudev K. Das and Robert A. Osteryoung, Electrochemistry of 9,10-Anthraquinone Moiety of [1-Pyrrol-1-YL) -HEX-6-YL]-9,10-Anthraquinone-2-Sulfonate in Aluminum Chloride-1-Methyl-3-Ethylimidazolium ChlorideAmbient Temperature Melt, J. Bangladesh Chem. Soc., 3(2), 147-152 (1990).
- 107. Soo-Gil Park, Paul C. Trulove, Richard T. Carlin and Robert A. Osteryoung, "A Mixed Lewis Acid-Bronsted Acid Ambient Temperature lonic Liquid: An Electrochemical and NMR Study of Dimethylaniline", J. Am. Chem. Soc., 113, 3334-3340 (1991).

<sup>\*</sup>Work relevant to grant but supported by SDIO/IST, managed by ONR.

- 108. Michael T. Carter, Charles L. Hussey, S. K.D. Strubinger, and Robert A. Osteryoung, "Electrochemical Reduction of Dioxygen in Room-Temperature Imidazolium ChlorideAluminum Chloride Molten Salts", Inorg. Chem., 30, 1149-1151 (1991).
- \*109. Renewal of Boundary Conditions in Pulse Voltammetry at Microdisk Electrodes for NonReversible Systems, Z. J. Karpinski and Robert A. Osteryoung, J. Electroanal. Chem., 307, 47-62 (1991).
- 110. J. Tang and R. A. Osteryoung, "Electrochemistry of Polyaniline in Ambient Temperature Molten Salts: I", Syn. Met., 44, 307-319 (1991).
- 111. J. Tang and R. A. Osteryoung, Formation and Electrochemistry of Polyaniline in Ambient Temperature Molten Salts", .Syn. Met., <u>45</u>, 1-13 (1991).
- 112. P. Trulove, M. Noel and R. A. Osteryoung, "Removal of Protons from Ambient-Temperature Chloroaluminate Ionic Liquids", Anal. Chem., 63, 2892-2896 (1991).
- 113. Marc A.M. Noel, R. Allendoerfer, and R. A. Osteryoung, "Solvation in lonic Liquids: An EPR Study", J. Phys. Chem., <u>96</u>, 2391-2394 (1992).
- J. Tang, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR and Electrochemical Measurements on Polyaniline in Ambient Temperature Molten Salts", J. Phys. Chem., <u>96</u>, 3531-3536 (1992).
- 115. Marc A.M. Noel, John J. O'Dea, and R. A. Osteryoung, "Short Time Pulse Voltammetry at Very Small Electrodes in Ambient Temperature Chloroaluminate Ionic Liquids", J. Electrochem. Soc., <u>139</u>, 1231 -1236 (1992).
- P. C. Trulove, R. T. Carlin and R. A. Osteryoung, "Interaction of Protons with Solutes in Ambient Temperature Chloroaluminate Molten Salts: Electrochemistry and NMR Spectroscopy of Protonated Anthracene", Proceedings of the Seventh International Symposium on Molten Salts, C. L. Hussey, S. N. Flengas, J. S. Wilkes and Y. Ito, Eds, The Electrochemical Society, Proceedings Volume 90-17, pgs. 306-324, Pennington, NJ (1990).

<sup>\*</sup>Work relevant to grant but supported by NSF.

- 117. S. G. Park, P. Trulove, R. T. Carlin and R. A. Osteryoung, "Protons in Ambient Temperature Chloroaluminate Molten Salts: Electrochemical and NMR Studies of Their Interaction with Dimethylaniline", Proceedings of the Seventh International Symposium on Molten Salts, C. L. Hussey, S. N. Flengas, J. S. Wilkes and Y. Ito, Eds, The Electrochemical Society, Proceedings Volume 90-17, pgs. 290-305, Pennington, NJ (1990).
- Michael T. Carter and Robert A. Osteryoung, "Electrochemistry of 9,10-Anthraquinone in the Presence of Proton and Tetrachloroaluminate in Ambient Temperature Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., The Electrochemical Society, Proceedings Volume 92-16, pgs. 406-425, Pennington, NJ, (1992).
- 119. Paul C. Trulove and Robert A. Osteryoung, "The Nature of Proton in Ambient-Temperature Chloroaluminate Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., Proceedings Volume 92-16, pgs. 292-302, The Electrochemical Society, Pennington, NJ, (1992).
- Paul C. Trulove and Robert A. Osteryoung, "The Chemistry of Proton in Ambient Temperature Chloroaluminate Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., Proceedings Volume 92-16, pgs. 303-316, The Electrochemical Society, Pennington, NJ, (1992).

#### In Press:

- 121. Richard Carlin, Paul Trulove and Robert A. Osteryoung, "Electrochemical and Spectroscopic Study of Anthracene in a Mixed Lewis-Broønsted Acid Ambient Temperature Molten Salt System", Electrochim. Acta, in press.
- Michael Carter and Robert A. Osteryoung, "Interaction of 9,10-Anthraquinone with Tetrachloroaluminate and Proton in Basic Aluminum Chloride:1-Ethyl-3-Methylimidazolium Chloride Room Temperature Molten Salts, J. Electrochem. Soc., in press.
- Paul C. Trulove and Robert A. Osteryoung, "Proton Speciation in Ambient Temperature Chloroaluminate Ionic Liquids, Inorg. Chem., in press.
- Jinsong Tang, Kunio Shimizu and Robert A. Osteryoung, "Electrochemical Studies of Tris-(acetylacetonato)ruthenium(III) Complex in Ambient Temperature Chloroaluminate Molten Salts", Inorg. Chem., in press.

## Appendix B:

Presentations at Meetings Related to Grant Activities AFOSR 90-0099; 1 December, 1989 - 30 June, 1992

#### Invited Presentations

- 256. R. T. Carlin, R. A. Osteryoung, J. Wilkes and J. Rovang, "Studies of Titanium(IV) Chloride in a Strongly Lewis Acidic Molten Salt: Electrochemistry, Ti NMR and Electronic Spectroscopy", Symposium on Mechanistic Aspects of Inorganic and Organometallic Chemistry, The Electrochemical Society, Spring Meeting, Montreal, May 6-11, 1990.
- 257. Soo-Gil Park, Paul Trulove, R. T. Carlin and R. A. Osteryoung. "Protons in Ambient Temperature Chloroaluminate Molten Salts: Electrochemical and NMR Studies of their Interaction with Dimethylaniline and Anthraquinone", Keynote Lecture, Seventh International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, Montreal, May 6-11, 1990.
- 258. Paul Trulove, R. T. Cariin and R. A. Osteryoung, "Interaction of Protons with Solutes in Ambient Temperature Chloroaluminate Molten Salts: Electrochemistry and NMR Spectroscopy of Protonated and Unprotonated Anthracene", Seventh International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, Montreal, May 6-11, 1990.
- 259. Richard T. Carlin and Robert A. Osteryoung, "A Microelectrode's View of a Chloroaluminate Ambient-Temperature Molten Salt", ANACHEM Award Symposium on Modern Analytical Voltammetry, Federation of Analytical Chemistry and Spectroscopy Societies Meeting, Cleveland, October 7-12, 1990.
- 260. Robert A. Osteryoung, "Ambient Temperature Chloroaluminate lonic Liquids: Chemistry, Electrochemistry and Witchcraft", Colloquium Speaker, Department of Chemistry, University of Tennessee, Knoxville, TN, Feb. 28, 1991.
- 261. Robert A. Osteryoung, "Pulse Voltammetry Techniques and Applications", Colloquium Speaker, Analytical Chemistry Division, Oak Ridge National Laboratory, Oak Ridge, TN, March 1, 1991.
- 262. Robert A. Osteryoung, "Ambient Temperature Chloroaluminate Ionic Liquids: Chemistry, Electrochemistry and Witchcraft", Colloquium Speaker, Division of Chemistry, Alfred University, Alfred, New York, April 8, 1991.
- 263. Marc A. M. Noël, John J. O'Dea and R. A. Osteryoung, "Short Time Pulse Voltammetry in Ambient Temperature Chloroaluminate Ionic Liquids", Symposium on Electrode Processes, Spring Meeting, The Electrochemical Society, Washington, May 5-10, 1991.

- 264. Robert A. Osteryoung, "Pulse Voltammetry: Saturday's Child", American Chemical Society Division of Analytical Chemistry Electrochemistry Award Address, American Chemical Society Fall Meeting, New York, August, 1991.
- 265. Robert A. Osteryoung, "Ambient Temperature Chloroaluminate Ionic Liquids: Chemistry, Electrochemistry and Witchcraft", Seminar, University of Arizona, October 11, 1991.
- Janet G. Osteryoung, Robert A. Osteryoung and John J. O'Dea, "Pulse Voltammetry '92: Retrospect and Prospect", Symposium "Back; to the Future; New Horizons in Electroanalytical Methods and Materials", Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, New Orleans, March, 1992.
- 267. Robert A. Osteryoung, Paul Trulove, Marc Noël and Jingsong Tang, "Voltammetry and Spectroscopy in Ambient Temperature Chloroaluminate Ionic Liquids: Some Random Examples", Charles N. Reilley Award Symposium Honoring Dr. Stephen Feldberg, Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, New Orleans, March, 1992.
- 268. Michael T. Carter and Robert A. Osteryoung, "Electrochemistry of 9,10-Anthraquinone in the Presence of Proton and Tetrachloroaluminate in Ambient Temperature Molten Salts", 8th International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, St. Louis, May, 1992.
- 269. Paul C. Trulove and Robert A. Osteryoung, "The Nature of Proton in Ambient Temperature Chloroaluminate Molten Salts", 8th International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, St. Louis, May, 1992.
- 270. Paul C. Trulove and Robert A. Osteryoung, "The Chemistry of Proton in Ambient Temperature Chloroaluminate Molten Salts", 8th International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, St. Louis, May, 1992.
- 271. Robert A. Osteryoung, "Through the Years and Temperatures: Adventures in Molten Salt Land", Max Bredig Molten Salt Award Address, 8th International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, St. Louis, May, 1992.
- 272. Robert A. Osteryoung, "Prof. H. A. Laitinen A Long-ago Student's View", Division of Analytical Chemistry Memorial Symposium Honoring Herbert A. Laitinen, American Chemical Society, Fall Meeting, Washington, D.C., August, 1992.

**Contributed Presentations** 

- Zenon Karpinski, Soo-Gil Park and R. A. Osteryoung, "Reverse Pulse Voltammetric Studies of Reproportionation in Ambient Temperature Molten Salts", Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, New York, March 4-9, 1990.
- 71. Marc A.M. Noël and R. A. Osteryoung, "Pulse Voltammetric Determination of the Stoichiometry of Complex Ions in Ambient Temperature Molten Salts", Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, New York, March 4-9, 1990.
- Paul C. Trulove, Marc A.M. Noël, and R. A. Osteryoung, "The Nature of Proton in Ambient-Temperature Chloroaluminate Molten Salts", Eighth Annual Chemistry Graduate Student Symposium, SUNY-Buffalo, May 23-24, 1990.
- 73. Marc A.M. Noël and R. A. Osteryoung, "Preparation of Neutral Ambient Temperature Molten Salts", Eighth Annual Chemistry Graduate Student Symposium, SUNY-Buffalo, May 23-24, 1990.
- 74. John J. O'Dea, Janet G. Osteryoung and Robert A. Osteryoung, "Analysis of Pulse Voltammograms by the "COOL" Algorithm on a PC", Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, Chicago, March, 1991.
- 75. Paul C. Trulove and R. A. Osteryoung, "Proton Equilibria in Ambient Temperature Chloroaluminate Molten Salts", Ninth Annual Chemistry Graduate Student Symposium, SUNY-Buffalo, May 22-23, 1991.
- 76. Marc A-M Noël and R. A. Osteryoung, "Solvation in Ionic Liquids: An EPR Study", Ninth Annual Chemistry Graduate Student Symposium, SUNY-Buffalo, May 22-23, 1991.

#### **COMPLETED PROJECT SUMMARY**

TITLE:

STUDIES IN LEWIS ACID AND SUPERACID IONIC LIQUIDS

PRINCIPAL INVESTIGATOR:

Dr. Robert A. Osteryoung Department of Chemistry State University of New York

Buffalo, NY 14214

**INCLUSIVE DATES:** 

1 December, 1989 - 30 June, 1992

**GRANT NO:** 

AFOSR 90-0099

COSTS AND FY SOURCE: \$120,325 FY 90; \$150,777 FY 91; \$36,491 FY 92

#### SENIOR RESEARCH PERSONNEL:

Dr. Jinsong Tang

Dr. Michael Carter

Dr. William Ryan

Dr. John O'Dea

Dr. Shihua Song

Dr. Dow Maharaih\*

\*Dr. Robert Allendoerfer

## JUNIOR RESEARCH PERSONNEL

Mr. Marc A.-M. Nöel<sup>+</sup>
Captain Paul Trulove \*,+

#### **PUBLICATIONS:**

\*R. T. Carlin and R. A. Osteryoung, "Deposition Studies of Lithium and Bismuth at Tungsten Microelectrodes in LiCl:KCI Eutectic", J. Electrochem. Soc., <u>136</u>, 1249-1255 (1989).

Thomas A. Zawodzinski, Jr. and R. A. Osteryoung, "Donor Acceptor Properties of Ambient-Temperature Chloroaluminate Melts", Inorg. Chem., <u>28</u>,1710-1715 (1989).

P. C. Trulove, R. T. Carlin, and R. A. Osteryoung, "Lewis and Bronsted Acid Adducts in Ambient Temperature Chloroaluminate Molten Salts", J. Am. Chem. Soc., 112, 45674568 (1990).

<sup>\*</sup>Not paid on grant funds

<sup>&</sup>lt;sup>†</sup>Ph.D. received during grant period

Marc A.-M. Nöel and Robert A. Osteryoung, "Determination of the Stoichiometry of Some Metal Chlorocomplex Ions in Basic Ambient Temperature Molten Salts", J. Electroanal. Chem., <u>284</u>, 413-429 (1990).

Thomas A. Zawodzinski, Jr. and R. A. Osteryoung, "Oxide and Hydroxide Species Formed on Addition of Water in Ambient Temperature Chloroaluminate Melts: An <sup>17</sup>0 NMR Study", Inorg. Chem., <u>29</u>, 2842-2847 (1990).

R. T. Carlin, R. A. Osteryoung, J. S. Wilkes and J. Rovang, "Studies of Titanium(IV) Chloride in a Strongly Lewis Acidic Molten Salt: Electrochemistry, Titanium NMR and Electronic Spectroscopy", Inorg. Chem., 29, 3003-3009 (1990).

Marc Nöel and R. A. Osteryoung, "Use of Metal Chlorides to Buffer Neutral Ambient Temperature Molten Salts", J. Electroanal. Chem., <u>293</u>, 108, 139-150 (1990).

Basudev K. Das and Robert A. Osteryoung, Electrochemistry of 9,10-Anthraquinone Moiety of [1-Pyrrol-1-YL) -HEX-6-YL]- 9,10-Anthraquinone-2-Sulfonate in Aluminum Chloride-1-Methyl-3-Ethylimidazolium Chloride Ambient Temperature Melt, J. Bangladesh Chem. Soc., 3(2), 147-152 (1990).

Soo-Gil Park, Paul C. Trulove, Richard T. Carlin and Robert A. Osteryoung, "A Mixed Lewis Acid-Bronsted Acid Ambient Temperature Ionic Liquid: An Electrochemical and NMR Study of Dimethylaniline", J. Am. Chem. Soc., 113, 3334-3340 (1991).

Michael T. Carter, Charles L. Hussey, S. K.D. Strubinger, and Robert A. Osteryoung, "Electrochemical Reduction of Dioxygen in Room-Temperature Imidazolium Chloride-Aluminum Chloride Molten Salts", Inorg. Chem., 30, 1149-1151 (1991).

\*\*Renewal of Boundary Conditions in Pulse Voltammetry at Microdisk Electrodes for NonReversible Systems, Z. J. Karpinski and Robert A. Osteryoung, J. Electroanal. Chem., 307, 47-62 (1991).

- J. Tang and R. A. Osteryoung, "Electrochemistry of Polyaniline in Ambient Temperature Molten Salts: I", Syn. Met., 44, 307-319 (1991).
- J. Tang and R. A. Osteryoung, "Formation and Electrochemistry of Polyaniline in Ambient Temperature Molten Salts", .Syn. Met., 45, 1-13 (1991).
- P. Trulove, M. Noel and R. A. Osteryoung, "Removal of Protons from Ambient-Temperature Chloroaluminate Ionic Liquids", Anal. Chem., 63, 2892-2896 (1991).

Marc A.M. Noel, R. Allendoerfer, and R. A. Osteryoung, "Solvation in Ionic Liquids: An EPR Study", J. Phys. Chem., <u>96</u>, 2391-2394 (1992).

J. Tang, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR and Electrochemical Measurements on Polyaniline in Ambient Temperature Molten Salts", J. Phys. Chem., 96, 3531-3536 (1992).

Marc A.M. Noel, John J. O'Dea, and R. A. Osteryoung, "Short Time Pulse Voltammetry at Very Small Electrodes in Ambient Temperature Chloroaluminate Ionic Liquids", J. Electrochem. Soc., 139, 1231 -1236 (1992).

P. C. Trulove, R. T. Carlin and R. A. Osteryoung, "Interaction of Protons with Solutes in Ambient Temperature Chloroaluminate Molten Salts: Electrochemistry and NMR Spectroscopy of Protonated Anthracene", Proceedings of the Seventh International Symposium on Molten Salts, C. L. Hussey, S. N. Flengas, J. S. Wilkes and Y. Ito, Eds, The Electrochemical Society, Proceedings Volume 90-17, pgs. 306-324, Pennington, NJ (1990).

S. G. Park, P. Trulove, R. T. Carlin and R. A. Osteryoung, "Protons in Ambient Temperature Chloroaluminate Molten Salts: Electrochemical and NMR Studies of Their Interaction with Dimethylaniline", Proceedings of the Seventh International Symposium on Molten Salts, C. L. Hussey, S. N. Flengas, J. S. Wilkes and Y. Ito, Eds, The Electrochemical Society, Proceedings Volume 90-17, pgs. 290-305, Pennington, NJ (1990).

Michael T. Carter and Robert A. Osteryoung, "Electrochemistry of 9,10-Anthraquinone in the Presence of Proton and Tetrachloroaluminate in Ambient Temperature Mcten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., The Electrochemical Society, Proceedings Volume 92-16, pgs. 406-425, Pennington, NJ, (1992).

Paul C. Trulove and Robert A. Osteryoung, "The Nature of Proton in Ambient-Temperature Chloroaluminate Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., Proceedings Volume 92-16, pgs. 292-302, The Electrochemical Society, Pennington, NJ, (1992).

Paul C. Trulove and Robert A. Osteryoung, "The Chemistry of Proton in Ambient Temperature Chloroaluminate Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., Proceedings Volume 92-16, pgs. 303-316, The Electrochemical Society, Pennington, NJ, (1992).

\*Work relevant to grant but supported by SDIO/IST, managed by ONR.

\*\*Work relevant to grant but supported by NSF.

#### ABSTRACT OF OBJECTIVES AND ACCOMPLISHMENTS

The objective of this work was to perform chemical and electrochemical studies in an ionic liquid, a mixture of aluminum chloride and 1-ethyl-3-methylimidazolium chloride. In addition, studies of this system, and solutes therein, on addition of a Bronsted acid were also carried out. Work carried out was in the major areas of: a) studies of modified (polymer coated) electrodes; b) neutral melts; c) general electrochemistry, with emphasis on fast voltammetry at very small electrodes; d) chemistry and electrochemistry in superacid systems.

In the polymer coated electrode area, work was carried out on the behavior of films of polyaniline prepared in both aqueous solutions, and used in the melts, and prepared in the melts, and used in aqueous solutions. Behavior of these filmed electrodes, following transfer from one media to the other, appeared reversible. A study of simultaneous EPR and electrochemistry was also carried out.

Work in neutral melts encompassed a study of the stoichiometry of several inorganic solutes in "near neutral" melts, wherein an amperometric titration of chloride could be utilized to

deduce complex stoichiometry and a study of solutes in a buffered neutral melt, where CdCl<sub>2</sub> was employed as a buffer.

In the general electrochemical area, under work related to, but not supported by AFOSR, a study at very small electrodes in molten KCI-LiCI was carried out. Also in related, but not AFOSR supported work, studies of conditions required to renew the boundary at a very small electrode when the electrode reaction was not reversible, was performed. Work on very short time pulse voltammetry was carried out in the ambient temperature molten salt; pulse times as short as 10 microseconds were employed. The electrochemistry of Ti(IV) was examined in an acidic melt, and catalysis of ethylene to polyethylene was observed. Finally, the reduction of oxygen was examined at glassy carbon electrodes in a basic melt; no reduction could be seen in an acidic melt apparently due to rapid electrode passivation.

A good deal of work was carried out on the melts when proton was added deliberately, as ImHCl<sub>2</sub>, and as an impurity, mainly from water. The oxide and hydroxide species present in the melts due to the presence of water were studied by NMR spectroscopy. Donor acceptor properties of the solvent ambient temperature ionic liquid were obtained. Mixed Bronsted and Lewis acid adducts of dimethylaniline were observed, and the behavior the system examined by electrochemistry and NMR spectroscopy. Finally, a new procedure for the removal of protons was demonstrated.